Docket No.: 1359-00

In the Claims

33. (Currently amended) A method for announcing a key code to TV viewers via the screen of their TV set for use in establishing contact between selected viewers and an established game program over a telecommunication network, said method comprising the steps of:

generating said key code to include a plurality of descriptive elements, said key code being selected randomly among a predetermined number of different key codes through use of an automatically operating selection device,;

transmitting said key code elements in succession to said TV screens within a plurality of selected time slots located within a plurality of selected time units between a start and an end of a TV transmission which is at least one of a TV program and a TV commercial spot, at least one of a duration of a time slot and a position of a time slot within a time unit being selected at random; and

providing access to the game program by a predetermined number of viewers who through use of the key code are first in managing to establish said contact with the game program.

- 34. Canceled
- 35. (Previously presented) The method of Claim 33, wherein said selection of said time slots incorporates the use of an automatically operating selection device.
 - 36. Canceled
- 37. (Previously presented) The method of Claim 36, wherein said random selection is made by an automatically operating device.

Docket No.: 1359-00

38. (Previously presented) The method of Claim 33, wherein said viewer connection is made via one or more selected from the group consisting of a telephone network and a computer network.

- 39. (Currently amended) The method of Claim 33, wherein said descriptive elements each comprises one or more selected from the group consisting of symbols, numbers, and letters.
- 40. (Currently amended) A system for announcing a key code to TV viewers via the screen of their TV set for use in establishing contact between selected viewers and an established game program over a telecommunication network, said system comprising the steps of:

a key code generator for generating said key code to include a plurality of descriptive elements, said key code generator having means for selecting said key code randomly <u>and automatically</u> among a predetermined number of different key codes <u>through use of an automatically operating key code selection device</u>;

a key code transmitter for transmitting said key code elements in succession to said TV screens within a plurality of selected time slots located within a plurality of selected time units between a start and an end of a TV transmission which is at least one of a TV program and a TV commercial spot, and said key code generator being configured to communicate with a time slot generator to select at random within a time unit at least one of a duration of a time slot and a position of a time slot; and

a line connector for connection of viewers to said game program who are selected as a function of a predetermined number of viewers who by using the key code are first in managing manage to establish said contact.

Docket No.: 1359-00

41. Canceled

42. (Currently amended) The system of Claim 40, wherein the key code transmitter comprises—time slot generator provides for an automatically operating time slot selection component.

43-44. Canceled

- 45. (Currently amended) The system of Claim 40, wherein said viewer connection is via a telephone network and or a PC related data path in a computer communications network or both.
- 46. (Previously presented) The system of Claim 40, wherein said descriptive elements each comprises one or more from the group consisting of symbols, numbers, and letters.
- 47. (Currently amended) The method of claim 33 for announcing a key code—of elaim 33—wherein the key code is a PC related data path or telephone number.
- 48. (Currently amended) The system of claim 40 for announcing a key code, of claim 40 wherein the key code is a PC related data path or telephone number.
- 49. (New) The system of claim 40 wherein the key code generator is linked to a time unit generator which is configured to determine time units within which key code elements of a key code are to appear during a TV transmission.
- 50. (New) The system of claim 40 wherein the time unit generator provides for an automatically operating time unit selection.